


●鋼からステンレス鋼、アルミまで加工できる汎用コーティングエンドミルです。側面加工に適しています。

It's suitable for side milling of workpiece material from Steel and Stainless Steel to Aluminum.



LIST 6274P

オーダ方法 商品記号

単位 (Unit) : mm

商品記号 Code	外径 DC	刃長 APMX	全長 LF	シャンク径 DCON	在庫 Stock	参考価格(円) Price (¥)
4GE2.5	2.5	7	50	6		3,660
4GE3	3.0	9				3,230
4GE3.5	3.5	12				3,320
4GE4	4.0					3,320
4GE4.5	4.5					3,320
4GE5	5.0	15	60	8		3,320
4GE5.5	5.5					3,320
4GE6	6.0					3,320
4GE6.5	6.5					3,620
4GE7	7.0	20	65	10		3,620
4GE7.5	7.5					3,620
4GE8	8.0					3,620
4GE8.5	8.5					4,040
4GE9	9.0	25	75			4,040
4GE9.5	9.5					4,040
4GE10	10.0					4,040
4GE10.5	10.5					7,340
4GE11	11.0	30	80	12		5,440
4GE11.5	11.5					7,340
4GE12	12.0					5,440
4GE12.5	12.5	35	90	16		9,110
4GE13	13.0					6,750
4GE13.5	13.5					9,110
4GE14	14.0					6,750
4GE14.5	14.5					9,860
4GE15	15.0					7,320
4GE15.5	15.5					10,500
4GE16	16.0	40				7,770
4GE16.5	16.5					13,200
4GE17	17.0					9,640
4GE17.5	17.5					13,200
4GE18	18.0					9,640
4GE18.5	18.5					15,100
4GE19	19.0					11,200
4GE19.5	19.5	45	110	20		15,100
4GE20	20.0					11,200
4GE21	21.0					13,600
4GE22	22.0					13,600
4GE23	23.0					15,900
4GE24	24.0	50	120	25		15,900
4GE25	25.0					15,900
4GE26	26.0					18,300
4GE27	27.0					20,800
4GE28	28.0	55	125			20,800
4GE29	29.0					24,200
4GE30	30.0					24,200
4GE31	31.0					33,800
4GE32	32.0					33,800
4GE33	33.0	60	145	32		38,300
4GE34	34.0					38,300
4GE35	35.0					38,300
4GE36	36.0					41,500
4GE37	37.0					44,300
4GE38	38.0					44,300
4GE39	39.0	65	150			51,200
4GE40	40.0					51,200
4GE42						61,900
4GE42 × 42	42.0		155	42		61,900
4GE45						72,300
4GE45 × 42	45.0	70	160	42		72,300

商品記号 Code	外径 DC	刃長 APMX	全長 LF	シャンク径 DCON	在庫 Stock	参考価格(円) Price (¥)
4GE48	48.0	70	155	32	●	76,700
4GE48 × 42			160	42		76,700
4GE50	50.0		155	32		83,800
4GE50 × 42			160	42		83,800

外径 DC (mm)		許容差 Tolerance (mm)
を超え Above	以下 Up to	
	10	+ 0.020 ~ 0
10	30	+ 0.025 ~ 0
30		+ 0.030 ~ 0

一般 構造用鋼	炭素鋼	合金鋼	プリハードン鋼	調質鋼 ダイス鋼	高硬度鋼	
SS400	S45C S50C	SCM SCR	NAK	30~45HRC	45~55HRC	55~60HRC
○	○	○	○	○	×	×
高硬度鋼	ステンレス鋼	Ti 合金 耐熱合金	鋳鉄	アルミ合金	銅合金	グラファイト
60~66HRC	SUS304 SUS316	SUS420	FC FCD	Al AC/ADC	Cu	Graphite
×	○	○	○	○	○	—

◎:最適 Excellent ○:適用 Good ×:不適 Not Used —:推奨しません Not recommended