

## PRODUCT-DETAILS

# MEP4-0

## MEP4-0 Enclosure

### General Information

|                       |                                                                                                                                                                                                                                                                                                |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | MEP4-0                                                                                                                                                                                                                                                                                         |
| Product ID            | 1SFA611814R1000                                                                                                                                                                                                                                                                                |
| EAN                   | 7320500312766                                                                                                                                                                                                                                                                                  |
| Catalog Description   | MEP4-0 Enclosure                                                                                                                                                                                                                                                                               |
| Long Description      | MEP4-0 Enclosure is four seats empty grey plastic enclosure. This enclosure can fit both modular and compact range. Modular range can be with the unique possibility to mount up to 5 contact blocks assigned to one operator. Degree of protection: IP66<br>UL/NEMA type 1, 3R, 4, 4X, 12, 13 |

### Ordering

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85369001 |
| Product Main Type      | MEP4     |

### Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals          | 1SFC151011M0201 |
| CAD Dimensional Drawing           | 2CDC001079B0201 |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.221 m  |
| Product Net Depth / Length | 0.075 m  |
| Product Net Height         | 0.061 m  |
| Product Net Weight         | 0.309 kg |

### Technical

|                |           |
|----------------|-----------|
| Accessory Type | Enclosure |
|----------------|-----------|

| Color               | Dark grey/Light grey |
|---------------------|----------------------|
| Enclosure Type NEMA | Type1                |
|                     | Type12               |
|                     | Type13               |
|                     | Type3R               |
|                     | Type4                |
|                     | Type4X               |
| Housing Material    | Plastic              |
| Suitable For        | MP1                  |
|                     | MP2                  |
|                     | MP3                  |
|                     | MP4                  |
|                     | MPM1                 |
|                     | KP6                  |
|                     | M2SS1                |
|                     | M2SS2                |
|                     | M2SS3                |
|                     | M2SS4                |
|                     | M2SS5                |
|                     | M2SS6                |
|                     | M3SS1                |
|                     | M3SS2                |
|                     | M3SS3                |
|                     | M3SS4                |
|                     | M3SS5                |
|                     | M3SS6                |
|                     | M3SS7                |
|                     | M3SS8                |
|                     | M3SSC1               |
|                     | M3SSC2               |
|                     | M3SSC3               |
|                     | M3SSC4               |
|                     | M3SSC5               |
|                     | M3SSC6               |
|                     | M3SSC7               |
|                     | M3SSC8               |
|                     | M2SSK1               |
|                     | M2SSK2               |
|                     | M2SSK3               |
|                     | M2SSK4               |
|                     | M3SSK1               |
|                     | M3SSK2               |
|                     | M3SSK3               |
|                     | MTS1                 |
|                     | MTS2                 |
|                     | MTS3                 |
|                     | MJS                  |
|                     | CP1                  |
|                     | CP2                  |
|                     | CP3                  |
|                     | CP4                  |
|                     | CP11                 |
|                     | CP12                 |
|                     | CP33                 |
|                     | C2SS1                |
|                     | C2SS2                |
|                     | C2SS3                |
|                     | CPM3                 |
|                     | CL                   |
|                     | CL2                  |
|                     | CB1                  |
|                     | CP6                  |
|                     | P9MP                 |
|                     | P9MS                 |
|                     | P9ME                 |
|                     | P9ML                 |
|                     | P9MM                 |
|                     | P9MC                 |
|                     | P9MSC                |
|                     | P9MPS                |

Suitable for Product  
Class

Pilot Devices

**Environmental**

|                                             |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| Ambient Air Temperature                     | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C                     |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                                        |
| Degree of Protection                        | Front IP66<br>Housing IP66                                             |
| Material                                    | Plastic                                                                |
| REACH Declaration                           | 2CMT2022-006479                                                        |
| RoHS Information                            | 2CMT2015-005452                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| WEEE Category                               | Product Not in WEEE Scope                                              |

**Certificates and Declarations**

|                                  |                 |
|----------------------------------|-----------------|
| cULus Certificate                | 9AKK107046A9925 |
| Declaration of Conformity - CE   | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate               | E-14107         |

**Container Information**

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 1 piece   |
| Package Level 1 Width          | 0.11 m        |
| Package Level 1 Depth / Length | 0.26 m        |
| Package Level 1 Height         | 0.061 m       |
| Package Level 1 Gross Weight   | 0.325 kg      |
| Package Level 1 EAN            | 7320500312766 |

**Classifications**

|                                    |                                                  |
|------------------------------------|--------------------------------------------------|
| eClass                             | V11.0 : 27371205                                 |
| E-Number (Finland)                 | 2339553                                          |
| E-Number (Norway)                  | 4373044                                          |
| E-Number (Sweden)                  | 3717108                                          |
| ETIM 6                             | EC000200 - Enclosure for control circuit devices |
| ETIM 7                             | EC000200 - Enclosure for control circuit devices |
| ETIM 8                             | EC000200 - Enclosure for control circuit devices |
| ETIM 9                             | EC000200 - Enclosure for control circuit devices |
| IDEA Granular Category Code (IGCC) | 4478 >> Electrical pushbutton enclosure          |
| Object Classification Code         | S                                                |
| UNSPSC                             | 39121326                                         |

---

**Categories**

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Enclosures and Assembled Stations

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)