

PRODUCT-DETAILS

MJS6-60BMJS6-60B Joystick



| General Information | |
|-----------------------|--|
| Extended Product Type | MJS6-60B |
| Product ID | 1SFA611706R6006 |
| EAN | 7320500375747 |
| Catalog Description | MJS6-60B Joystick |
| Long Description | The MJS6-60B Joystick is: 4-position -Momentary Joystick without latching function - Black - Non-illuminated - Chrome Metal - No contact block This Joystick is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application. |

| Ordering | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85369001 |

Popular Downloads

Data Sheet, Technical 1SFC151007C02_

MJS6-60B 2

| In | ıtα | rm | nati | ini | า |
|----|-----|----|------|-----|---|
| | | | | | |

| Instructions and | 1SFC151011M0201 |
|------------------|-----------------|
| Manuals | |

| Dimensions | |
|-------------------------------|----------|
| Product Net Width | 0.04 m |
| Product Net Height | 0.043 m |
| Product Net Depth / Length | 0.097 m |
| Product Net Weight | 0.062 kg |

| Technical | |
|-----------------------|------------------------------------|
| Ambient Air | Operation -25 +70 °C |
| Temperature | Storage -40 +85 °C |
| Color | Black |
| Actuator Type | Joystick without latching function |
| Bezel Material | Chrome Metal |
| Illumination | Non-illuminated |
| Function | Momentary |
| Sub-Function | 4-position |
| Degree of Protection | Front IP66 |
| | Front IP67 |
| | Front IP69K |
| Enclosure Type NEMA | Type1 |
| | Type12 |
| | Type13 |
| | Type4 |
| | Type4X |
| Mechanical Durability | 0.5 million |

| Environmental | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| RoHS Information | 2CMT2015-005452 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| WEEE Category | Product Not in WEEE Scope |

| Certificates and Declarations | |
|-------------------------------------|-----------------|
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CE | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate | E-14107 |

| Container Information | |
|-------------------------|-------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 0.11 m |
| Package Level 1 Depth / | 0.15 m |

MJS6-60B 3

Length

| Package Level 1 Height | 0.048 m |
|---------------------------------|---------------|
| Package Level 1 Gross Weight | 0.065 kg |
| Package Level 1 EAN | 7320500375747 |

| Object Classification | |
|---------------------------------------|-------------------------------------|
| Code | , |
| ETIM 6 | EC000632 - Control switch, Joystick |
| ETIM 7 | EC000632 - Control switch, Joystick |
| ETIM 8 | EC000632 - Control switch, Joystick |
| eClass | V11.0 : 27371404 |
| UNSPSC | 39122227 |
| IDEA Granular Category Code (IGCC) | 5280 >> Joystick switch or control |
| E-Number (Finland) | 2312115 |
| E-Number (Norway) | 4372968 |
| E-Number (Sweden) | 3705021 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Control\ Products \rightarrow Pilot\ Devices \rightarrow Modular\ Plastic\ Range \rightarrow MJS\ Joysticks$







